



Universal Fastener Outsourcing

800-352-0028 or 479-443-9292 WWW.911-NAILS.COM

Ballistic NailScrew®/PneuScrew™ Catalog

AS SEEN ON
DIY TV's
COOL TOOLS

Screws That Install With A Pneumatic Nailer "Drive them in, Screw them out!"™

NSD9021

ASK ABOUT
FREE TOOL SPECIALS!

20°- 22° PLASTIC STRIP

PAGE 2.

20-22 DEGREE PLASTIC STRIP
FULL HEAD PNEUMATIC NAILER

JLC EDITOR'S PICK AS
"One of the Cleverest Products of the Year"

CN65SP

15° WIRE COIL

IAPMO #0133

PAGE 3.



PAGE 4.

15° PLASTIC SHEET COIL

15 DEGREE WIRE COIL &
15 DEGREE PLASTIC SHEET COIL
FULL HEAD PNEUMATIC NAILER

PFS Test Report #07-153A
Intertek Report #3156487-001

- Engineered for Trex® Decking (Page 8 in the Trex® Installation Guide)
- **Save Over 70% in Labor Compared to Regular Screws**
- Demo Video at: www.HowToNailScrew.com
- Patent Pending "Hybrid® Fasteners"
- Coatings: **PT2000®**, PPG, Yellow Zinc & Stainless Steel





Universal Fastener Outsourcing

800-352-0028 or 479-443-9292 WWW.911-NAILS.COM

Ballistic NailScrew®/PneuScrew™

20-22 DEGREE PLASTIC STRIP FOR MOST FULL HEAD PNEUMATIC NAILERS

YELLOW ZINC COATED - FLAT HEAD - (100 CASES/PALLET)

Applications: Subfloor, Roof Decking, Pallets, Crating, Manufactured Housing, Etc.

NailScrew Part#	PneuScrew#	Length	Dia.	Head	M/Case
HDNS134120YZSQ	NSP5175	1-3/4"	.120	#2 SQ	2
HDNS200113YZPH	NEW ITEM	2"	.113	#2 PH	2
HDNS200131YZSQ	NSP6200	2"	.131	#2 SQ	2
HDNS214113YZPH	NPP4225	2-1/4"	.113	#2 PH	1.5 ***
HDNS214113YZSQ	NSP4225	2-1/4"	.113	#2 SQ	1.5 ***
HDNS212120YZPH	NPP5250	2-1/2"	.120	#2 PH	1.5
HDNS212120YZSQ	NSP5250	2-1/2"	.120	#2 SQ	1.5
HDNS300113YZPH	NPP4300	3"	.113	#2 PH	1***
HDNS314120YZPH	NEW ITEM	3-1/4"	.120	#2 PH	1

*IAPMO #0133



(ALL PLASTIC STRIPS HAVE 25 NS)

PT2000® (PPG1500) - COMPOSITE HEAD - (1M/CASE - 100 CASES/PALLET)

Applications: Composite Decking (TREX: Contours® & Accents®, AERT MoistureShield®, ChoiceDek®

AZEK® Decking & many other Composite materials) And All Types of Wood Decking

NailScrew Part#	PneuScrew#	Length	Dia.	Head	Coating
PTHDNS214CSQB	NSP5225D4	2-1/4"	.120	#2 SQ	Brown
PTHDNS214CSQT	NSP5225D2	2-1/4"	.120	#2 SQ	Tan
PTHDNS214CSQC	NSP5225D3	2-1/4"	.120	#2 SQ	Cedar
PTHDNS214CSQG	NSP5225D1	2-1/4"	.120	#2 SQ	Gray
PTHDNS212CSQ	NSP5250D	2-1/2"	.120	#2 SQ	PT2000®




PT2000® (Dark Gray) - FLAT HEAD - (1M/CASE - 100 CASES/PALLET)

Applications: All Types of Wood Decking, including ACQ and all other Treated Lumber

NailScrew Part#	PneuScrew#	Length	Dia.	Head
PTHDNS134113PH	NEW ITEM	1-3/4"	.113	#2 PH
PTHDNS200113PH	NPP4200D	2"	.113	#2 PH
PTHDNS212113PH	NPP4250D	2-1/2"	.113	#2 PH***
PTHDNS300113PH	NPP4300D	3"	.113	#2 PH***

*IAPMO #0133



PT2000® (PPG1500) - COMBO TRIM HEAD - (1M/CASE - 100 CASES/PALLET)


Applications: Composite Decking (TREX: Brasilia®, Contours® & Accents®, AERT MoistureShield®,

TimberTech®, Rhino Deck®, Ever Grain®, Portico™, UFP® Decking, AZEK® Decking & many other

Composite materials.) All types of Wood Decking, including ACQ and all other Treated Lumber

Also Hard and Soft Exotic Lumber

NailScrew Part#	PneuScrew#	Length	Dia.	Head	Coating
PTHDNS214113TH	NEW ITEM	2-1/4"	.113	T-15	PT2000®
PTHDNS214113THB	NEW ITEM	2-1/4"	.113	T-15	Brown
PTHDNS214113THC	NEW ITEM	2-1/4"	.113	T-15	Cedar
PTHDNS214113THG	NEW ITEM	2-1/4"	.113	T-15	Gray
PTHDNS214113THT	NEW ITEM	2-1/4"	.113	T-15	Tan
PTHDNS300113TH	NEW ITEM	3"	.113	T-15	PT2000®



305 STAINLESS STEEL - COMBO TRIM HEAD - (1M/CASE - 100 CASES/PALLET)

Applications: Dock & Deck Building within 1 mile of Salt or Brackish Water, Wood Decking, and Installation of

Softer Composites During Warm Weather. Stainless Steel is Soft and should NOT be used for Framing.

NailScrew Part#	PneuScrew#	Length	Dia.	Head
SSHDNS300120TH	NEW ITEM	3"	.120	T-15



"The above trademarks belong to the related decking and fence manufacturers, and Universal Fastener Outsourcing, LLC is not affiliated with them."





Universal Fastener Outsourcing

800-352-0028 or 479-443-9292 WWW.911-NAILS.COM


Ballistic NailScrew®/PneuScrew™ 15 DEGREE WIRE COIL FOR MOST FRAMING PNEUMATIC NAILERS

YELLOW ZINC COATED - FLAT HEAD - (3.6M/CASE - 56 CASES/PALLET)

Applications: Subfloor, Roof Decking, Pallets, Crating, Manufactured Housing, and More!

NailScrew Part#	PneuScrew#	Length	Dia.	Head
WCNS134113YZPH	NPW4175	1 3/4"	.113	#2 PH
WCNS214113YZSQ	NSW4225	2-1/4"	.113	#2 SQ***
WCNS214113YZPH	NPW4225	2-1/4"	.113	#2 PH***
WCNS212113YZPH	NPW4250	2-1/2"	.113	#2 PH***
WCNS212113YZSQ	NSW4250	2-1/2"	.113	#2 SQ***
WCNS300120YZSQ	NSW5300	3"	.120	#2 SQ
WCNS312131YZSQ	NEW ITEM	3-1/2"	.131	#2 SQ

*IAPMO #0133



(ALL WIRE COILS HAVE 200 NS)

PT2000® COMPOSITE HEAD - FULLY VINYL COATED - (.8M/CASE - 100 CASES/PALLET)

Applications: Composite Decking (TREX: Contours® & Accents®, AERT MoistureShield®, ChoiceDek®, AZEK® Decking & many other Composite materials)

NailScrew Part#	PneuScrew#	Length	Dia.	Head
PTWCNS214CSQ	NSW5225D	2-1/4"	.120	#2 SQ




PT2000® (Dark Gray) - FLAT HEAD - (.8M/CASE - 100 CASES/PALLET)

Applications: All Types of Wood Decking, including ACQ and all other Treated Lumber

NailScrew Part#	PneuScrew#	Length	Dia.	Head
PTWCNS134113SQ	NEW ITEM	1-3/4"	.113	#2 SQ
PTWCNS200113SQ	NSW4200D	2"	.113	#2 SQ
PTWCNS212113SQ	NSW4250D	2-1/2"	.113	#2 SQ***
PTWCNS300113SQ	NSW4300D	3"	.113	#2 SQ***


*IAPMO #0133



PT2000® (Dark Gray) - COMBO TRIM HEAD - (.8M/CASE - 100 CASES/PALLET)

Applications: Composite Decking (TimberTech®, Rhino Deck®, Ever Grain®, Portico™, UFP® Decking, TREX: Brasilia®, Contours® & Accents®, AERT Moisture Shield®, AZEK® Decking & many other Composite materials) All Types of Wood Decking, including ACQ and all other Treated Lumber and Hard and Soft Exotic Lumbars

NailScrew Part#	PneuScrew#	Length	Dia.	Head
PTWCNS214113TH	NEW ITEM	2-1/4"	.113	T-15



PT2000® W/WHITE HEAD - COMBO TRIM HEAD - (.8M/CASE - 100 CASES/PALLET)

Applications: VERSATEX®, TREX Trim™, AZEK® Trim and any other Composite or Wood Trim

NailScrew Part#	PneuScrew#	Length	Dia.	Head
PTWCNS214113THW	NEW ITEM	2-1/4"	.113	T-15



316 STAINLESS STEEL - COMBO TRIM HEAD - (.8M/CASE - 100 CASES/PALLET)

Applications: Dock & Deck Building within 1 mile of Salt or Brackish Water, Wood Decking, and Installation of Softer Composites During Warm Weather.

Stainless Steel is Soft and should NOT be used for Framing.

NailScrew Part#	PneuScrew#	Length	Dia.	Head
SSWCNS300120TH	NEW ITEM	3"	.120	T-15





Universal Fastener Outsourcing

800-352-0028 or 479-443-9292 WWW.911-NAILS.COM


Ballistic NailScrew®/PneuScrew™

15 DEGREE PLASTIC SHEET COIL FOR SOME SIDING PNEUMATIC NAILERS

YELLOW ZINC COATED - FLAT HEAD - (3.6M/CASE - 56 CASES/PALLET)

Applications: For Fastening Many Materials Like OSB, Plywood, DragonBoard® to Light Gauge Metal(12-20 Gauge) or Wood, Crating, Manufactured Housing, and Many More!

NailScrew Part#	PneuScrew#	Length	Dia.	Head
HSNS114113YZPH	NPS4125	1-1/4"	.113	#2 PH
HSNS112113YZPH	NPS4150	1-1/2"	.113	#2 PH



(ALL PLASTIC COILS HAVE 200 NS)

PT2000® (PPG1500) - COMBO TRIM HEAD - (1.6M/CASE - 80 CASES/PALLET)

Applications: AERT LifeCycle® Fencing, TREX Surroundings™ Fencing, Composite Fencing, Wood Fencing, Hardie Board™, DragonBoard®, etc.


NailScrew Part#	PneuScrew#	Length	Dia.	Head	Color
HSNS112113THC	NEW ITEM	1-1/2"	.113	T-15	Cedar
HSNS112113THT	NEW ITEM	1-1/2"	.113	T-15	Tan/EarthTone



PT2000® (PPG1500) - FLAT HEAD - (1.6M/CASE - 80 CASES/PALLET)

Applications: Composite Fencing: HeartLand PrairiePicket™, Wood Fencing, Hardie Board™, DragonBoard®


NailScrew Part#	PneuScrew#	Length	Dia.	Head	Color
HSNS112113PHG	NEW ITEM	1-1/2"	.113	#2 PH	Gray
HSNS112113T15C	NEW ITEM	1-1/2"	.113	T-15	Cedar



PT2000® (PPG1500) - FLAT HEAD - (1.6M/CASE - 80 CASES/PALLET)

Applications: GeoDeck® (Tongue & Groove or Face Nailing) PVC Decking, Including TREX Escapes™, AZEK® Decking, TimberTech®, Rhino Deck® and many more!

NailScrew Part#	PneuScrew#	Length	Dia.	Head	Color
HSNS212113PSQC	NTS4250D3	2-1/2"	.113	#1 SQ	Cedar
HSNS212113PSQG	NTS4250D1	2-1/2"	.113	#1 SQ	Gray
HSNS212113PSQM	NEW ITEM	2-1/2"	.113	#1 SQ	Mahogany



NEW! BALLISTIC NAILSCREWS® FOR HIDDEN DECK FASTENING

PT2000® BLACK (PPG1500) - FLAT HEAD (1M/CASE - 100 CASES/PALLET)

Manufacturing and Decking applications where Precise Placement is required.

NailScrew Part#	Length	Dia.	Head
PTPPNS158113SQB	1-5/8"	.113	#1 SQ
SSPPNS158113SQB	1-5/8"	.113	#1 SQ - ST.ST.

PT2000® BLACK (PPG1500) - FLAT HEAD (200/BAG - 10 BAGS/CASE - 2M/CASE)

NailScrew Part#	Length	Dia.	Head
BULK214113BL1SQ	2-1/4"	.113	#1 SQ

*Positive Placement Tool
Model No. NSDPP38*

Mantis Deck Clip™



Place Ballistic Point, Pull Trigger



Lumber Loc®

"The above trademarks belong to the related decking and fence manufacturers, and Universal Fastener Outsourcing, LLC is not affiliated with them."

